

# animamundi per esterni

Texture tenuemente metallizzata per esterni ad effetto cemento  
*Soft metallic texture for exteriors with concrete feel*


**novacolor**<sup>TM</sup>  
I colori dell'Architettura



magnolia

MAGNOLIA STUDIO IN TIRANA  
Architect: Andi Eftimi - Studio Atelier 4  
Novacolor Partner: Color Plus, Orges Hallunovi






AMS E 51



AMS E 49



AMS E 35



AMS E 52




AMS E 54




AMS E 56



AMS E 53



AMS E 55



AMS E 57

TEXTURE TENUAMENTE METALLIZZATA  
PER ESTERNI AD EFFETTO CEMENTO

**DILUIZIONE:** pronto all'uso

**APPLICAZIONE:** Su fondo opportunamente preparato, applicare R-STONE FONDO bianco in due strati con spatola inox. Su superficie essiccata procedere con l'applicazione di ANIMAMUNDI PER ESTERNI in due strati con spatola inox.

**RESA**

R-STONE FONDO: 1 kg/m<sup>2</sup>  
ANIMAMUNDI PER ESTERNI: 3-6 m<sup>2</sup>/l nei due strati

SOFT METALLIC TEXTURE FOR EXTERIORS  
WITH CONCRETE FEEL

**DILUTION:** ready to use

**APPLICATION:** On properly primed substrates, apply R-STONE FONDO white in two layers with a stainless steel trowel. Leave it to dry, then apply ANIMAMUNDI PER ESTERNI in two layers with a stainless steel trowel.

**YIELD**

R-STONE FONDO: 1 kg/m<sup>2</sup>  
ANIMAMUNDI PER ESTERNI: 3-6 m<sup>2</sup>/l in two layers



ANIMAMUNDI PER ESTERNI AMS E 61


Le tonalità qui riprodotte, pur avvicinandosi a quelle di fornitura, sono indicative. Per una corretta lettura dei colori si raccomanda di consultare questa cartella alla luce solare.

ANIMAMUNDI PER ESTERNI interpreta in maniera innovativa il concetto di "cemento dilavato": un prodotto con effetto moderatamente perlato ed opaco, ed una forte connotazione materica.


ANIMAMUNDI PER ESTERNI innovatively re-interprets the idea of "washed-out concrete": a product with a soft pearl feel and concrete-like texture.



AMS E 58



AMS E 60



AMS E 46




AMS E 22



AMS E 61



AMS E 44




AMS E 59




AMS E 33




AMS E 48



BASE SILVER



AMS E 62



AMS E 63

The colour shades herein reproduced are purely indicative, as small variations may occur. For a correct reading of the colours it is recommended to examine the catalogue under direct sunlight.

www.novacolor.it



firedot

10/2018

N000116

**novacolor**<sup>TM</sup>  
I colori dell'Architettura

NOVACOLOR srl - 47122 Forlì - Italia  
Tel +39 0543 401840 - fax +39 0543 414585  
Via U. Aldrovandi, 10 - info@novacolor.it



NOVACOLOR is committed to reduce the environmental impact by producing friendly materials.

Made in Italy

**AZIENDA CON SISTEMA  
DI GESTIONE QUALITÀ  
CERTIFICATO DA DNV GL  
= ISO 9001 =**

**COMPANY WITH  
QUALITY SYSTEM  
CERTIFIED BY DNV GL  
= ISO 9001 =**