

### Safety Data Sheet dated 16/5/2017, version 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: NOVACEM VELATURA Trade name: Trade code: N384 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Coating material 1.3. Details of the supplier of the safety data sheet Company: NOVACOLOR S.R.L Via U. Aldrovandi, 10 47122 Forlì (FC) - Italy -Tel. +39 0543 401840 Fax. +39 0543 414585 Competent person responsible for the safety data sheet: reach@novacolor.biz 1.4. Emergency telephone number Technical information: NOVACOLOR SRL +39 0543 401840 (Monday – Friday 8.00-12.00 ; 13.30-17.30) **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP) Aquatic Chronic 3, Harmful to aquatic life with long lasting effects. Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements Hazard pictograms: None Hazard statements: H412 Harmful to aquatic life with long lasting effects. Precautionary statements: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P501 Dispose of contents / container in accordance with national regulations. Special Provisions: EUH208 Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction. EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. EUH208 Contains reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

### **SECTION 3: Composition/information on ingredients**

N384/3 Page n. 1 of 9



### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	ldent. Numb	er	Classification
>= 0.005% - < 0.05%	1,2-benzisothiazol- 3(2H)-one	Index number: CAS: EC:	613-088-00-6 2634-33-5 220-120-9	<ul> <li>3.1/2/Inhal Acute Tox. 2 H330</li> <li>3.2/2 Skin Irrit. 2 H315</li> <li>3.3/1 Eye Dam. 1 H318</li> <li>3.4.2/1-1A-1B Skin Sens. 1,1A, 1B H317</li> <li>3.1/4/Oral Acute Tox. 4 H302</li> <li>4.1/A1 Aquatic Acute 1 H400 M=1.</li> <li>4.1/C2 Aquatic Chronic 2 H411 M=1.</li> </ul>
>= 0.005% - < 0.05%	pyrithione zinc	CAS: EC: REACH No.:	13463-41-7 236-671-3 01- 2119511196 -46-XXXX	<ul> <li>3.1/3/Oral Acute Tox. 3 H301</li> <li>4.1/C1 Aquatic Chronic 1 H410 M=1.</li> <li>3.3/1 Eye Dam. 1 H318</li> <li>4.1/A1 Aquatic Acute 1 H400 M=10.</li> <li>3.1/4/Inhal Acute Tox. 4 H332</li> </ul>
>= 0.005% - < 0.05%	terbutryn	CAS: EC:	886-50-0 212-950-5	<ul> <li>4.1/A1 Aquatic Acute 1 H400 M=100.</li> <li>4.1/C1 Aquatic Chronic 1 H410 M=100.</li> <li>3.1/4/Oral Acute Tox. 4 H302</li> <li>3.4.2/1B Skin Sens. 1B H317</li> </ul>
>= 0.005% - < 0.05%	2-octyl-2H-isothiazol-3- one	Index number: CAS: EC:	613-112-00-5 26530-20-1 247-761-7	<ul> <li>3.1/3/Inhal Acute Tox. 3 H331</li> <li>3.2/1B Skin Corr. 1B H314</li> <li>3.3/1 Eye Dam. 1 H318</li> <li>3.4.2/1A Skin Sens. 1A H317</li> <li>4.1/A1 Aquatic Acute 1 H400 M=10.</li> <li>4.1/C1 Aquatic Chronic 1 H410 M=1.</li> <li>3.1/3/Dermal Acute Tox. 3 H311</li> <li>3.1/4/Oral Acute Tox. 4 H302</li> </ul>
>= 0. 00015% - < 0. 0015%	reaction mass of 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	Index number: CAS: EC:	613-167-00-5 55965-84-9 611-341-5	<ul> <li>3.2/1B Skin Corr. 1B H314</li> <li>3.4.2/1A Skin Sens. 1A H317</li> <li>4.1/A1 Aquatic Acute 1 H400 M=100.</li> <li>4.1/C1 Aquatic Chronic 1 H410 M=10.</li> <li>3.1/3/Oral Acute Tox. 3 H301</li> <li>3.1/3/Dermal Acute Tox. 3 H311</li> <li>3.1/1/Inhal Acute Tox. 1 H330</li> </ul>

## **SECTION 4: First aid measures**

N384/3 Page n. 2 of 9



- 4.1. Description of first aid measures
- In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
  - None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

None

#### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media: Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons: None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
   Use suitable breathing apparatus .
   Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.
6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

- Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

### See also section o and 15

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhaltion of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.



See also section 8 for recommended protective equipment. 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s) None in particular **SECTION 8: Exposure controls/personal protection** 8.1. Control parameters No occupational exposure limit available **DNEL Exposure Limit Values** N.Á. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

### **SECTION 9: Physical and chemical properties**

ion of hydroar and onormout p		·	
9.1. Information on basic physical and	l chemical	properties	\$
Appearance:	liquid		
Colour:	various		
Odour:	characte	ristic	
Odour threshold:	N.A.		
pH:	9		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling ra	ange:	N.A.	
Solid/gas flammability:	N.A.		
Upper/lower flammability or exp	olosive lim	its:	N.A.
Vapour density:	N.A.		
Flash point:	N.A.		
Evaporation rate:	N.A.		
Vapour pressure:	N.A.		
Relative density:	1.40 kg/l		
Solubility in oil:	N.A.		
Partition coefficient (n-octanol/v	vater):	N.A.	
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
Viscosity:	N.A.		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		
9.2. Other information	-		
•			

## N384/3

Page n. 4 of 9



Miscibility:	N.A.	
Fat Solubility:	N.A.	
Conductivity:	N.A.	
Substance Groups relevant	properties	N.A.

## **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials
- None in particular. 10.6. Hazardous decomposition products None

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects Toxicological information of the product: NOVACEM VELATURA a) acute toxicity Not classified No data available for the product b) skin corrosion/irritation Not classified No data available for the product c) serious eye damage/irritation Not classified No data available for the product d) respiratory or skin sensitisation Not classified No data available for the product e) germ cell mutagenicity Not classified No data available for the product f) carcinogenicity Not classified No data available for the product g) reproductive toxicity Not classified No data available for the product h) STOT-single exposure Not classified No data available for the product i) STOT-repeated exposure Not classified No data available for the product j) aspiration hazard Not classified No data available for the product Toxicological information of the main substances found in the product: N.A.



### **SECTION 12: Ecological information**

- 12.1. Toxicity
  - Adopt good working practices, so that the product is not released into the environment.

#### NOVACEM VELATURA

The product is classified: Aquatic Chronic 3 - H412

terbutryn - CAS: 886-50-0

reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and

2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) - CAS: 55965-84-9

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 0.1 mg/l - Duration h: 48 - Notes: daphnia magna Endpoint: EC50 - Species: Algae 0.048 mg/l - Duration h: 72 - Notes: pseudokirchneriella subcapitata Endpoint: EC50 - Species: Fish 0.22 mg/l - Duration h: 96 - Notes: oncorhynchus mykiss

Endpoint: NOEC - Species: Algae 0.00064 mg/l - Duration h: 48 - Notes: skeletonema costatum

Endpoint: NOEC - Species: Daphnia 0.004 mg/l - Duration h: 504 - Notes: daphnia magna Endpoint: NOEC - Species: Fish 0.098 mg/l - Duration h: 672 - Notes: oncorhynchus mykiss

Endpoint: NOEC - Species: Algae 0.0012 mg/l - Duration h: 72 - Notes: pseudokirchneriella subcapitata

- 12.2. Persistence and degradability
- N.A.
- 12.3. Bioaccumulative potential
  - N.A.
- 12.4. Mobility in soil
  - N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
   12.6. Other adverse effects
  - None

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

### **SECTION 14: Transport information**

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name
  - N.A.
- 14.3. Transport hazard class(es)
- N.A. 14.4. Packing group
  - N.A.
- 14.5. Environmental hazards N.A.
- 14.6. Special precautions for user
  - limited quantity:
  - N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code N.A.

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

N384/3

Page n. 6 of 9



Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3** Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H330 Fatal if inhaled.

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H317 May cause an allergic skin reaction.
- H302 Harmful if swallowed.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H301 Toxic if swallowed.
- H410 Very toxic to aquatic life with long lasting effects.
- H332 Harmful if inhaled.
- H331 Toxic if inhaled.
- H314 Causes severe skin burns and eye damage.
- H311 Toxic in contact with skin.

Hazard class and hazard category	Code	Description
Acute Tox. 1	3.1/1/Inhal	Acute toxicity (inhalation), Category 1
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Dermal	Acute toxicity (dermal), Category 3
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3

## novacolor™ I colori dell'Architettura

## Safety Data Sheet NOVACEM VELATURA

Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Skin Sens. 1,1A,1B	3.4.2/1-1A-1B	Skin Sensitisation, Category 1,1A,1B
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport

N384/3

Page n. 8 of 9



	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.